

JB10Q

"JB10Q": EQUALISED JUNCTION BOX, WITH UP TO 10 LOAD CELLS



Junction box fitted with electronic board for junction and equalisation of up to 10 load cells. Particularly suitable for weight bridges, thanks to the Surger Arresters against electric discharges and disturbances. Case suitable for harsh environments, with metallic fairleads and grounding. Terminal boards with a screw for easing the connection of the load cells and the signal adjustment trimmer, for an accurate and reliable equalisation.

Working in cooperation with:

VETEK AB

HANTVERKSVÄGEN 15 - 76493 - VÄDDÖ - SWEDEN Tel. +46176-208920, info@vetek.com, www.vetek.com The best solution for advanced industrial applications

ANALOGIC "JB10Q" TECHNICAL FEATURES

- Reinforced polyester case in fiberglass, ideal for harsh environments.
- 10 + 1 waterproof metallic fairleads.
- Surge Arresters against electric discharges and disturbances.
- IP66 protection degree or IP68 with the use of GELBOX anti condensation gel (optional, you need 1200ml of gel).
- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- Maximum input load cell signal: 1000mV.
- Temperature effect: 50ppm/°C.
- Compact dimensions (lxwxh): 220x120x90mm.
- Removable terminals.

DIGITAL "JB10QD" TECHNICAL FEATURES

- Designed for the connection to digital load cells, in RS485.
- 24Vdc input for the power supply of the load cells.
- Reinforced polyester case in fiberglass, ideal for harsh environments.
- 10 + 1 waterproof metallic fairleads.
- Surge Arresters against electric discharges and disturbances.
- IP66 protection degree or IP68 with the use of GELBOX anti condensation gel (optional, you need 1200ml of gel).
- Compact dimensions (lxwxh): 220x120x90mm.
- Removable terminals.



JB10Q: internal view.



JB10Q: IP68 protection with optional GELBOX gel (you need 600ml of gel).





DINI ARGEO FRANCE sarl Nogent-sur-Marne DINI ARGEO **GMBH** Sinsheim - Germany

UK Ltd

DINI ARGEO

Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China

DINI ARGEO WEIGHBRIDGES Calto (RO) - Italy



HEAD OFFICE Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy







VETEK AB

HANTVERKSVÄGEN 15 - 76493 - VÄDDÖ - SWEDEN $Tel. \ +46176\hbox{-}208920, in fo@vetek.com, www.vetek.com$

SALES AND TECHNICAL ASSISTANCE SERVICE