

MCWN-RF

MCWN-RF "NINJA" SERIES SUSPENDED CRANE SCALES WITH RADIO FREQUENCY MODULE



Professional and digital crane scales fitted with radio frequency module, for connection to PC, remote printer, or weight repeater. Thanks to their compact size, the MCWN crane scales just slightly reduce the lifting distance of the crane. Available also CE-M APPROVED. Fitted with test certificate obtained with sample weights

Working in cooperation with:

Vetek AB

Hantverkarsvägen 15, 76493 Vaddö - SWEDEN Tel.
+46-176208920, info@vetek.se, www.vetek.com

The best solution
for advanced industrial
applications

MAIN FEATURES

- Fitted with the following upper and lower shackle:
GR3 for MCWNT1
GR6 for MCWNT6
GR9 for MCWNT9.
- Compact size and minimum distance between upper and lower shackle.
- 25 mm LCD backlit display, easily visible in any lighting condition.
- Precision: +/- 0.03% on MAX.
- 5-key waterproof keypad: Zero, semi automatic or preset Tare, Mode, Print, On/Off.
- Sturdy case in oven-fire painted steel.
- Radio frequency module (868MHz) for connection to a PC or to a weight indicator/repeater.
- Optional Alibi memory for data transmission used in applications involving third parties relations.
- Fitted with infrared remote control for up to 8m distance use.
- Power supply through 4 AA batteries, which may be rechargeable.
- Auto switch-off.
- Energy saving function, in order to increase working autonomy.
- Digital calibration and programmable Set-Up directly from the keypad or from the PC with Dinitools.
- Adjustable digital filter according to the weighing conditions.
- Operating temperature: -10/+40 °C.
- RS232 serial port on the RJ11 connector for quick programming with Dinitools.
- Fitted with protective transport case with dimensions (WxLxH) 175x480x390mm.

MAIN FUNCTIONS

- Identification of the weight peaks.
- Freezing of the weight on the display.
- Weighs accumulation.
- +/- check.
- Weigh percentile.
- Input/Output.
- X 10 high resolution visualisation.
- Net/Gross or lb/kg conversion.

DETAIL 1



Protective transport case

VERSIONS

| Versioni disponibili | | | |
|------------------------|----------------|-------------|------------------|
| Codice | Max (kg) | d (kg) | M (kg) |
| MCWNT1RF-4 | 300/600/1500 | 0,1/0,2/0,5 | -- |
| MCWNT1MRF-4 M | 1500 | -- | 0,5 |
| MCWN11T6RF-3 | 1500/3000/6000 | 0,5/1/2 | -- |
| MCWN11T6MRF-3 M | 6000 | -- | 2 |
| MCWNT9RF-3 | 3000/6000/9500 | 1/2/5 | -- |
| MCWNT9MRF-3 M | 9000 | -- | 5 |



www.diniargeo.com



DINI AR GEO
FRANCE sarl
Nogent-sur-Marne

DINI AR GEO
GMBH
Sinsheim - Germany

DINI AR GEO
UK Ltd
Taunton - United Kingdom

DINI AR GEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI AR GEO
WEIGHBRIDGES
Calto (RO) - Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano - Modena - Italy



Vetek AB

Hantverkavägen 15, 76493 Vaddö- SWEDEN

Tel. +46-176208920, info@vetek.se, www.vetek.com

SALES AND TECHNICAL ASSISTANCE SERVICE