

Dillon Universal Force Gauge

Operation

The Dillon Universal Force Gauge bears a serial number stamped on a permanent nameplate. Please refer to this number and mention capacity of the instrument should it ever be necessary to contact your supplier.

To adjust for precise zero, loosen the knurled screw on the side of the indicator bezel slightly and rotate the bezel in either direction as required. Then retighten the knurled screw. It may be necessary to repeat this operation several times to secure exact zero setting.

If the gauge is to be used for setting electrode pressure in resistance welders, *be sure to disconnect power before making measurements*. A warning sticker to this effect is on the end of the Force Gauge.

All units with a flat bottom surface may be placed on any flat surface with the load applied to a single pressure fitting on the top of the deflection beam. It is important to apply force only at the center of the loading points as shown in Figure 2. Standard instruments with a recess on the bottom surface will produce readings on a flat surface but such readings will not be accurate.

Larger capacity gauges have a mounting hole in the bottom to accept customer jigs.

Dillon Universal Force Gauges are carefully machined and are calibrated with certified laboratory testing equipment or weights. With reasonable care, they will provide many years of satisfactory service.

Correct Methods of Applying Load

Load must be applied to the Dillon Universal Force Gauge ONLY at point "A" shown in Figure 1. Inaccurate readings will result at "B" or "C". Be sure force is applied in a straight line as shown by the arrows.




Figure 1
Recessed bottom gauges

Capacities intended for operation on a flat surface are machined WITHOUT a recess in the bottom half of the deflection beam. Load must be applied at point "F" as shown in Figure 2.




Figure 2
Flat bottom gauges

Dillon

A division of Weigh-Tronix Inc.
1000 Armstrong Dr.
Fairmont, MN 56031 USA
Telephone: 507-238-4461
Facsimile: 507-238-8258
e-mail: dillon@weigh-tronix.com
www.dillon-force.com

DILLON

Force Measurement Products & Systems